

WEST Search History

[Hide Items](#)
[Restore](#)
[Clear](#)
[Cancel](#)

DATE: Friday, July 21, 2006

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L12	345/173.ccls.	3054
<input type="checkbox"/>	L11	345/177.ccls.	236
<input type="checkbox"/>	L10	345/176.ccls.	124
<input type="checkbox"/>	L9	345/175.ccls.	369
<input type="checkbox"/>	L8	345/174.ccls.	500
<input type="checkbox"/>	L7	L6 and cache	15
<input type="checkbox"/>	L6	L5 and animat\$5 and graphic\$3 same display\$3	17
<input type="checkbox"/>	L5	touch\$3 same (panel or pad\$) and time and min same state and max same state and activat\$3 and command	343
<input type="checkbox"/>	L4	touch\$3 same (panel or pen) and max same state and min same state\$ and command same activat\$3 and cache same (store or stored or storing)	2
<input type="checkbox"/>	L3	touch\$3 same (panel or pen or pad\$3) and max same state and min same state\$ and command same activat\$3 and cache same (store or stored or storing)	6
<input type="checkbox"/>	L2	L1 and touch\$3 same (panel or pen or pad\$3) and max same state and min same state\$ and command same activat\$3 and cache same (store or stored or storing)	0
<input type="checkbox"/>	L1	345/473.ccls.	1238

END OF SEARCH HISTORY



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Fri, 21 Jul 2006, 9:19:26 AM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((touch panel and min state and max state and activate and coomand and cache and graphical display and animation) <in>metadata)
- #2 ((animation<in>metadata) <and> (touch panel<in>metadata))<and> (max state<in>metadata)
- #3 ((animation touch panel<in>metadata) <and> (min state<in>metadata))<and> (max state<in>metadata)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE -

Dialog DataStar

[options](#)[logout](#)[tracker](#)[feedback](#)[help](#)

Advanced Search: Examiners' Electronic Digest Database (EEDD)

[limit](#)

Search history:

No.	Database	Search term	Results	
1	EEDD	(touch ADJ panel).KW. AND (max ADJ state).KW. AND (min ADJ state).KW. AND command.KW. AND activate.KW.	0	-
2	EEDD	touch ADJ panel AND max ADJ state AND min ADJ state AND command AND activate	0	-
3	EEDD	animation AND touch AND max SAME state AND min SAME state AND activate AND command	0	-
4	EEDD	FULLTEXT=YES	1308	show titles
5	EEDD	touch ADJ panel AND max ADJ state AND min ADJ state AND activate AND command	0	-
6	EEDD	touch AND max ADJ state AND min ADJ state AND activate AND command	0	-
7	EEDD	touch AND max ADJ state AND min ADJ state	0	-

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)Enter your search term(s): [Search tips](#)

To restrict search by date, use the limit button.

[search](#)☐ Documents available in fulltext

Select special search terms from the following list(s):

☒ Document type[Top](#) - [News & FAQs](#) - [Dialog](#)

© 2006 Dialog



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

touch panel and max state and min sate and activate and com

SEARCH

[illegible]

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

touch panel and max state and min sate and activate and command and animation and graphical display un

Sort results by **relevance**  **Save results to a Binder**

Try an Advanced Search

Try this search in The ACM Guid

Display results **expanded form**

Search Tips

☐ Open results in a new window

Results 1 - 20 of 200

Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐

¹ GPGPU: general purpose computation on graphics hardware



David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, Aze Lefohn

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available: pdf(63.03 MB)

Additional Information: full citation, abstract

The graphics processor (GPU) on today's commodity video cards has evolved into an extremely powerful and flexible processor. The latest graphics architectures provide tremendous memory bandwidth and computational horsepower, with fully programmable vertex and pixel processing units that support vector operations up to full IEEE floating point precision. High level languages have emerged for graphics hardware, making this computational power accessible. Architectural GPUs are highly parallel s ...

2 Seeing, hearing, and touching: putting it all together



Brian Fisher, Sidney Fels, Karon MacLean, Tamara Munzner, Ronald Rensink

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available:  pdf(20.64 MB)

Additional Information: full citation

3 Facial modeling and animation



Jörg Haber, Demetri Terzopoulos

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available:  pdf(18.15 MB)

Additional Information: full citation, abstract

In this course we present an overview of the concepts and current techniques in facial modeling animation. We introduce this research area by its history and applications. As a necessary prerequisite for facial modeling, data acquisition is discussed in detail. We describe basic concepts of facial animation and present different approaches including parametric models, performance-, physics-, and learning-based methods. State-of-the-art techniques such as muscle-based facial animation, mass-spring models, and deep learning-based methods are also covered.

4 Human-computer interface development: concepts and systems for its management

-  H. Rex Hartson, Deborah Hix
March 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 1
Publisher: ACM Press

Full text available:  [pdf\(7.97 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
[review](#)

Human-computer interface management, from a computer science viewpoint, focuses on the process of developing quality human-computer interfaces, including their representation, design implementation, execution, evaluation, and maintenance. This survey presents important concepts of interface management: dialogue independence, structural modeling, representation, interactive tools, rapid prototyping, development methodologies, and control structures. *Dialogue independence* is the ...


5 Projectors: advanced graphics and vision techniques

-  Ramesh Raskar
August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**
Publisher: ACM Press

Full text available:  [pdf\(6.53 MB\)](#)

Additional Information: [full citation](#)

6 The elements of nature: interactive and realistic techniques

-  Oliver Deussen, David S. Ebert, Ron Fedkiw, F. Kenton Musgrave, Przemyslaw Prusinkiewicz, Doug Roble, Jos Stam, Jerry Tessendorf
August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**
Publisher: ACM Press

Full text available:  [pdf\(17.65 MB\)](#)

Additional Information: [full citation](#), [abstract](#)

This updated course on simulating natural phenomena will cover the latest research and production techniques for simulating most of the elements of nature. The presenters will provide movie production, interactive simulation, and research perspectives on the difficult task of photorealistic modeling, rendering, and animation of natural phenomena. The course offers a nice balance of the latest interactive graphics hardware-based simulation techniques and the latest physics-based simulation techniques ...

7 Point-based computer graphics


-  Marc Alexa, Markus Gross, Mark Pauly, Hanspeter Pfister, Marc Stamminger, Matthias Zwicker
August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**
Publisher: ACM Press

Full text available:  [pdf\(8.94 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [citations](#)

This course introduces points as a powerful and versatile graphics primitive. Speakers present the latest concepts for the acquisition, representation, modeling, processing, and rendering of point sampled geometry along with applications and research directions. We describe algorithms and discuss current problems and limitations, covering important aspects of point based graphics.

8 Draft Proposed: American National Standard—Graphical Kernel System

-  Technical Committee X3H3 - Computer Graphics
February 1984 **ACM SIGGRAPH Computer Graphics**, Volume 18 Issue SI
Publisher: ACM Press

Full text available:  [pdf\(16.07 MB\)](#)

Additional Information: [full citation](#)

9 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Publisher: IBM Press

Full text available:  pdf(4.21 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences non-trivial commun ...

10 Crowd and group animation



Daniel Thalmann, Christophe Hery, Seth Lippman, Hiromi Ono, Stephen Regelous, Douglas Sutton
August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available:  pdf(20.19 MB)

Additional Information: [full citation](#), [abstract](#)

A continuous challenge for special effects in movies is the production of realistic virtual crowds, terms of rendering and behavior. This course will present state-of-the-art techniques and methods. The course will explain in details the different approaches to create virtual crowds: particle systems with flocking techniques using attraction and repulsion forces, copy and pasting techniques, age based methods. The architecture of software tools will be presented including the MASSIVE software ...

11 Pen computing: a technology overview and a vision



André Meyer
July 1995 **ACM SIGCHI Bulletin**, Volume 27 Issue 3

Publisher: ACM Press

Full text available:  pdf(5.14 MB)

Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

This work gives an overview of a new technology that is attracting growing interest in public as well as in the computer industry itself. The visible difference from other technologies is in the use of pen or pencil as the primary means of interaction between a user and a machine, picking up the familiar pen and paper interface metaphor. From this follows a set of consequences that will be analyzed and put into context with other emerging technologies and visions. Starting with a short historic ...

12 Real-time shading



Marc Olano, Kurt Akeley, John C. Hart, Wolfgang Heidrich, Michael McCool, Jason L. Mitchell, Randi
August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available:  pdf(7.39 MB)

Additional Information: [full citation](#), [abstract](#)


Real-time procedural shading was once seen as a distant dream. When the first version of this course was offered four years ago, real-time shading was possible, but only with one-of-a-kind hardware or by combining the effects of tens to hundreds of rendering passes. Today, almost every new computer comes with graphics hardware capable of interactively executing shaders of thousands to tens of thousands of instructions. This course has been redesigned to address today's real-time shading capabilities ...

13 High dynamic range imaging



Paul Debevec, Erik Reinhard, Greg Ward, Sumanta Pattanaik
August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available:  pdf(20.22 MB)

Additional Information: [full citation](#), [abstract](#)

Current display devices can display only a limited range of contrast and colors, which is one of the main reasons that most image acquisition, processing, and display techniques use no more than eight bits per color channel. This course outlines recent advances in high-dynamic-range imaging from capture to display, that remove this restriction, thereby enabling images to represent the full gamut and dynamic range of the original scene rather than the limited subspace imposed by current monitor ...

14 Special issue: AI in engineering



D. Sriram, R. Joobbani
April 1985 **ACM SIGART Bulletin**, Issue 92

Publisher: ACM Press

Full text available: pdf(8.79 MB)

Additional Information: [full citation](#), [abstract](#)

The papers in this special issue were compiled from responses to the announcement in the July 1984 issue of the SIGART newsletter and notices posted over the ARPAnet. The interest being shown in this area is reflected in the sixty papers received from over six countries. About half the papers were received over the computer network.

15 "Graphical marionette" (abstract only)



Carol M. Ginsberg, Delle Maxwell
January 1984 **ACM SIGGRAPH Computer Graphics**, Volume 18 Issue 1

Publisher: ACM Press

Full text available: pdf(3.92 MB)

Additional Information: [full citation](#), [abstract](#)

Many person-modelling 3-D animation systems are currently being developed, but often suffer from confusing and elaborate user interfaces. Given over 200 degrees of freedom, the human form is capable of such intricate motion that its specification and display presents considerable difficulty both animators and animation systems designers. Given such difficulties with single figures, the orchestration of several in parallel remains a major challenge. In pursuit of understanding thoroughly this ...

16 Tracking three dimensional moving light displays (abstract only)



Michael Jenkin
January 1984 **ACM SIGGRAPH Computer Graphics**, Volume 18 Issue 1

Publisher: ACM Press

Full text available: pdf(3.92 MB)

Additional Information: [full citation](#), [abstract](#)

A method is presented for tracking the three-dimensional motion of points from their changing 1 dimensional perspective images as viewed by a nonconvergent binocular vision system. The algorithm relies on a general smoothness assumption to guide the tracking process, and application of the tracking algorithm to a three-dimensional moving light display based on Cutting's Walker program as well as other domains are discussed. Evidence is presented relating the tracking algorithm to certain belief ...

17 Knowledge-based animation (abstract only)



David Zeltzer
January 1984 **ACM SIGGRAPH Computer Graphics**, Volume 18 Issue 1

Publisher: ACM Press

Full text available: pdf(3.92 MB)

Additional Information: [full citation](#), [abstract](#)

In constructing a goal-directed system for automatic motion synthesis for computer animation, an essential problem is to account for the extraordinary flexibility and adaptability exhibited by many creatures. The selective *potentiation* and *depotentiation* of elements of a hierarchy of motor control programs is a key to the generation of adaptive motor control. The constraints on motion sequences are analyzed, and mechanisms for achieving continuity of movements are discussed. The ...

18 A multiple track animator system for motion synchronization (abstract only)



D. Fortin, J. F. Lamy, D. Thalmann

January 1984 **ACM SIGGRAPH Computer Graphics**, Volume 18 Issue 1

Publisher: ACM Press

Full text available: [pdf\(3.92 MB\)](#)

Additional Information: [full citation](#), [abstract](#)

MUTAN (Multiple Track ANimator) is an interactive system for independently animating three-dimensional graphical objects. MUTAN can synchronize different motions; it is also a good tool for synchronizing motion with sound, music, light or smell. To indicate moments in time, marks are associated with appropriate frame numbers. MUTAN enables the marks to be manipulated. An animator can also adjust one motion without modifying the others. To make this possible, MUTAN handles several tracks at a time ...

19 Motion analysis of grammatical processes in a visual-gestural language (abstract only)



Howard Poizner, Edward S. Klima, Ursula Bellugi, Robert B. Livingston

January 1984 **ACM SIGGRAPH Computer Graphics**, Volume 18 Issue 1

Publisher: ACM Press

Full text available: [pdf\(3.92 MB\)](#)

Additional Information: [full citation](#), [abstract](#)

Movement of the hands and arms through space is an essential element both in the lexical structure of American Sign Language (ASL), and, most strikingly, in the grammatical structure of ASL: it is patterned changes of the movement of signs that many grammatical attributes are represented. These grammatical attributes occur as an isolable superimposed layer of structure, as demonstrated by the accurate identification by deaf signers of these attributes presented only as dynamic pairs of light displays ...

20 The cross-ratio and the perception of motion and structure (abstract only)



William A. Simpson

January 1984 **ACM SIGGRAPH Computer Graphics**, Volume 18 Issue 1

Publisher: ACM Press

Full text available: [pdf\(3.92 MB\)](#)

Additional Information: [full citation](#), [abstract](#)

Followers of J. J. Gibson have proposed that the cross-ratio, a projective invariant for four collinear points, underlies the perception of objects in motion. Experiment 1 tested this theory by presenting subjects with displays of 3 or 4 dots rotating in depth. Accuracy was equally high in both conditions for motion and structure judgements, so the cross-ratio cannot be necessary. Experiments 2 and 3 tested the cue of lining up, and some evidence for its use was found. The results are consistent

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)